

# Immunization Schedule

Birth - 18 years

Influenza vaccine is recommended annually starting at 6 months

Children and teens should stay up-to-date with COVID-19 vaccine

More info: [www.cdc.gov/vaccines](http://www.cdc.gov/vaccines)

<b>Birth</b> HepB	<b>12 months</b> MMR Varicella HepA PCV	<b>9-10 years</b> HPV (2 doses) between 9-12 years
<b>2 months</b> DTaP-IPV-Hib-HepB PCV Rotavirus (oral)	<b>15 months</b> DTaP Hib	<b>11-12 years</b> Tdap MenACWY
<b>4 months</b> DTaP-IPV-Hib-HepB PCV Rotavirus (oral)	<b>18-24 months</b> HepA	<b>16 years</b> MenACWY
<b>6 months</b> DTaP-IPV-Hib-HepB PCV Rotavirus (oral)	<b>4 years</b> MMRV DTaP-IPV	<b>16-18 years</b> MenB (2 doses) Discuss with your provider

## Vaccine Key:

DTaP: Diphtheria, Tetanus, Pertussis (whooping cough)  
 HepA: Hepatitis A  
 HepB: Hepatitis B  
 Hib: Haemophilus influenzae type b  
 HPV: Human Papillomavirus  
 IPV: Inactivated Polio Virus  
 MenACWY: Meningococcal A, C, W, Y (meningitis)  
 MenB: Meningococcal B (meningitis)  
 MMR: Measles, Mumps and Rubella  
 PCV: Pneumococcal (pneumonia)  
 Tdap: Tetanus, Diphtheria, Pertussis (whooping cough)  
 Varicella: Chickenpox

## Combination Vaccines (subject to availability):

MMRV: Measles Mumps, Rubella and Varicella  
 Pediarix: Combination vaccine that includes DTaP-HepB-IPV  
 Pentacel: Combination vaccine that includes DTaP-IPV/Hib  
 Vaxelis: Combination vaccine that includes DTaP-IPV-Hib-HepB



# Immunization Schedule

Birth - 18 years

Influenza vaccine is recommended annually starting at 6 months

Children and teens should stay up-to-date with COVID-19 vaccine

More info: [www.cdc.gov/vaccines](http://www.cdc.gov/vaccines)

<p><b>Birth</b></p> <p>HepB</p>	<p><b>12 months</b></p> <p>MMR Varicella HepA PCV</p>	<p><b>9-10 years</b></p> <p>HPV (2 doses) between 9-12 years</p>
<p><b>2 months</b></p> <p>DTaP-IPV-Hib-HepB PCV Rotavirus (oral)</p>	<p><b>15 months</b></p> <p>DTaP Hib</p>	<p><b>11-12 years</b></p> <p>Tdap MenACWY</p>
<p><b>4 months</b></p> <p>DTaP-IPV-Hib-HepB PCV Rotavirus (oral)</p>	<p><b>18-24 months</b></p> <p>HepA</p>	<p><b>16 years</b></p> <p>MenACWY</p>
<p><b>6 months</b></p> <p>DTaP-IPV-Hib-HepB PCV Rotavirus (oral)</p>	<p><b>4 years</b></p> <p>MMRV DTaP-IPV</p>	<p><b>16-18 years</b></p> <p>MenB (2 doses) Discuss with your provider</p>

## Vaccine Key:

DTaP: Diphtheria, Tetanus, Pertussis (whooping cough)  
 HepA: Hepatitis A  
 HepB: Hepatitis B  
 Hib: Haemophilus influenzae type b  
 HPV: Human Papillomavirus  
 IPV: Inactivated Polio Virus  
 MenACWY: Meningococcal A, C, W, Y (meningitis)  
 MenB: Meningococcal B (meningitis)  
 MMR: Measles, Mumps and Rubella  
 PCV: Pneumococcal (pneumonia)  
 Tdap: Tetanus, Diphtheria, Pertussis (whooping cough)  
 Varicella: Chickenpox

## Combination Vaccines (subject to availability):

MMRV: Measles Mumps, Rubella and Varicella  
 Pediarix: Combination vaccine that includes DTaP-HepB-IPV  
 Pentacel: Combination vaccine that includes DTaP-IPV/Hib  
 Vaxelis: Combination vaccine that includes DTaP-IPV-Hib-HepB



# Immunization Schedule

Birth - 18 years

Influenza vaccine is recommended annually starting at 6 months

Children and teens should stay up-to-date with COVID-19 vaccine

More info: [www.cdc.gov/vaccines](http://www.cdc.gov/vaccines)

<b>Birth</b> HepB	<b>12 months</b> MMR Varicella HepA PCV	<b>9-10 years</b> HPV (2 doses) between 9-12 years
<b>2 months</b> DTaP-IPV-Hib-HepB PCV Rotavirus (oral)	<b>15 months</b> DTaP Hib	<b>11-12 years</b> Tdap MenACWY
<b>4 months</b> DTaP-IPV-Hib-HepB PCV Rotavirus (oral)	<b>18-24 months</b> HepA	<b>16 years</b> MenACWY
<b>6 months</b> DTaP-IPV-Hib-HepB PCV Rotavirus (oral)	<b>4 years</b> MMRV DTaP-IPV	<b>16-18 years</b> MenB (2 doses) Discuss with your provider

## Vaccine Key:

DTaP: Diphtheria, Tetanus, Pertussis (whooping cough)  
 HepA: Hepatitis A  
 HepB: Hepatitis B  
 Hib: Haemophilus influenzae type b  
 HPV: Human Papillomavirus  
 IPV: Inactivated Polio Virus  
 MenACWY: Meningococcal A, C, W, Y (meningitis)  
 MenB: Meningococcal B (meningitis)  
 MMR: Measles, Mumps and Rubella  
 PCV: Pneumococcal (pneumonia)  
 Tdap: Tetanus, Diphtheria, Pertussis (whooping cough)  
 Varicella: Chickenpox

## Combination Vaccines (subject to availability):

MMRV: Measles Mumps, Rubella and Varicella  
 Pediarix: Combination vaccine that includes DTaP-HepB-IPV  
 Pentacel: Combination vaccine that includes DTaP-IPV/Hib  
 Vaxelis: Combination vaccine that includes DTaP-IPV-Hib-HepB

